




Crystal LED Combination Headlights

Boundless One-piece Through LED Taillight



e-Platform 3.0

BYD Blade Battery



SPECIFICATION

Item		Standard Range	Extended Range	AWD
Overall Length (mm) 4800 Overall Height (mm) 1460 Wheel Track - Front / Rear (mm) 1620 / 1625 Wheel Track - Front / Rear (mm) 2920 Minimum Turning Radius (m) 5.7 Front Trunk Capacity (L) 50 Kera Trunk Capacity (L) 400 Kerb Weight (kg) 1,922 2.055 2.185 Gross Vehicle Mass (kg) 2.344 2.501 2.631 Traction Motor Drivetrain Rear Drive Rear Drive All-wheel Drive Front Motor Type / / All-wheel Drive Front Motor Maximum Power (kW) / / 160 Front Motor Maximum Power (kW) / / 160 Front Motor Maximum Power (kW) 150 230 230 Rear Motor Maximum Power (kW) 150 230 30 Rear Motor Maximum Power (kW) 150 230 390 Maximum Torque (N·m) 310 360 360 Rear Motor Maximum Power (kW) 150 230 390 Re	Item	Dynamic	Premium	Performance
Overall Width (mm) 1875 Overall Height (mm) 1460 Wheel Track - Front / Rear (mm) 1620 / 1625 Wheel Drack - Front / Rear (mm) 2920 Wheelbase (mm) 5.7 Front Trunk Capacity (L) 50 Rear Trunk Capacity (L) 400 Kerb Weight (kg) 1,922 2,055 2,185 Gross Vehicle Mass (kg) 2,344 2,501 2,631 Traction Motor Traction Motor Type / / All-wheel Drive Front Motor Maximum Power (kW) / / 1 160 Front Motor Maximum Power (kW) 1 / 310 280 230 Rear Motor Maximum Torque (Nm) 150 230 230 230 230 Rear Motor Maximum Torque (Nm) 310 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 360 <				
Overall Height (mm) 1460 Wheel Track - Front / Rear (mm) 1620 / 1625 Wheel Track - Front / Rear (mm) 2920 Minimum Turning Radius (m) 5.7 Front Trunk Capacity (L) 50 Rear Trunk Capacity (L) 400 Kerb Weight (kg) 1.922 2.055 2.185 Gross Vehicle Mass (kg) 2.344 2.501 2.631 Traction Motor Rear Drive Rear Drive All-wheel Drive Front Motor Type / / All-wheel Drive Front Motor Maximum Power (kW) / / 160 Front Motor Maximum Torque (Nrm) / / 100 Front Motor Maximum Torque (Nrm) 150 230 230 Rear Motor Maximum Torque (Nrm) 310 360 360 Rear Motor Maximum Torque (Nrm) 310 360				
Wheelbase (mm)				
Wheelbase (mm)				
Minimum Turning Radius (m)				
Front Trunk Capacity (L)				
Rear Trunk Capacity (L)				
Rerb Weight (kg)				
Gross Vehicle Mass (kg)				
Traction Motor Drivetrain Rear Drive Rear Drive All-wheel Drive Front Motor Type /				
Drivetrain	(0)	2.344	2.501	2.631
Front Motor Type				
Front Motor Maximum Power (kW)		Rear Drive	Rear Drive	
Front Motor Maximum Torque (N/m)	Front Motor Type	1	1	Squirrel Cage Induction Asynchronous Motor
Rear Motor Type	Front Motor Maximum Power (kW)	1	1	160
Rear Motor Maximum Power (kW) 150 230 230 Rear Motor Maximum Torque (N·m) 310 360 360 Maximum Power (kW) 150 230 390 Maximum Torque (N·m) 310 360 670 Performance Acceleration 0-100km/h (s) 7,5 5,9 3,8 Electric Range: 510 650 580 NEDC Combined Cycle (km) 510 650 580 Seating Capacity 5 5 82,56 82,56 Battery Type BYD Blade Battery Battery Capacity (kWh) 61,44 82,56 82,56 Chassis Frost Suspension Multi-link Frequency Selective Damping (FSD) — Front Butlished Ventilated & Drilled Drilled Ventilated & Drilled Drill	Front Motor Maximum Torque (N/m)	1	1	310
Rear Motor Maximum Torque (N-m)		Permanen	Magnet Synchron	ious Motor
Maximum Power (kW) 150 230 390 Maximum Torque (N-m) 310 360 670 Performance Acceleration 0-100km/h (s) 7,5 5,9 3,8 Electric Range: 510 650 580 NEDC Combined Cycle (km) 510 650 580 Seating Capacity 5 Battery Type BYD Blade Battery Battery Type BYD Blade Battery Battery Capacity (kWh) 61,44 82,56 82,56 Chassis Front Suspension Double Wishbone Rear Suspension Multi-link Front Disc Brake Ventilated Ventilated & Drilled Ventilated & Drilled Front Disc Brake Ventilated Ventilated & Ventilated & Ventilated & Drilled Ventilated & Drilled Ventilated & Drilled Rear Disc Brake Ventilated Ventilated & Ventilated & Ventilated & Drilled Ventilated & Drilled Ventilated & Drilled Rear Disc Brake Caliper Floating Fixed Fixed Fixed Ventilated & Ventilated Ventilated & Drilled	Rear Motor Maximum Power (kW)			
Maximum Power (kW) 150 230 390 Maximum Torque (km) 310 360 670 Performance Acceleration 0-100km/h (s) 7,5 5,9 3,8 Electric Range: 510 650 580 NEDC Combined Cycle (km) 510 650 580 Seating Capacity 5 BYD Blade Battery Battery Type BYD Blade Battery Battery Capacity (kWh) 61,44 82,56 82,56 Chassis Front Suspension Double Wishbone Rear Suspension Multi-link Front Suspension Double Wishbone Rear Suspension Multi-link Front Brake Ventilated Ventilated & Drilled <	Rear Motor Maximum Torque (N·m)		360	360
Performance	Maximum Power (kW)		230	390
Acceleration 0-100km/h (s) 7,5 5,9 3,8	Maximum Torque (N·m)			
Electric Range: NEDC Combined Cycle (km) 510 650 580	Performance			
Electric Range: S10	Acceleration 0-100km/h (s)	7,5	5,9	3,8
NEDC Combined Cycle (km) Seating Capacity Seating Capacity Seating Capacity Stattery Type BYD Blade Battery	Electric Range:		650	
Battery Type	NEDC Combined Cycle (km)	510	650	580
Battery Type	Seating Capacity		5	
Chassis Double Wishbone Front Suspension Multi-link Frequency Selective Damping (FSD) — Front & Rear Shock Absorbers Ventilated Ventilated & Drilled Ventilated & Drilled Front Disc Brake Ventilated Ventilated Ventilated Front Brake Calliper Floating Fixed Fixed Fixed Fixed Pixed Fixed Fixed Wheel Type Alloy Alloy Alloy Alloy Alloy Alloy Alloy New Energy Portable Charging Cable (mode 2) • • • Portable Charging Port - Type 2 (7kW) • • • AC Charging Port - Type 2 (7kW) • • • AC Charging Port - CCS 2 (110kW) • • • DC Charging Port - CCS 2 (150kW) • • • V2L Function • • • V2L Discharge Adapter • • • Regenerative Braking • • •	Battery Type	E	BYD Blade Battery	/
Chassis Double Wishbone Front Suspension Multi-link Frequency Selective Damping (FSD) — Front & Rear Shock Absorbers Ventilated Ventilated & Drilled Ventilated & Drilled Front Disc Brake Ventilated Ventilated Ventilated Front Brake Calliper Floating Fixed Fixed Fixed Fixed Pixed Fixed Fixed Wheel Type Alloy Alloy Alloy Alloy Alloy Alloy Alloy New Energy Portable Charging Cable (mode 2) • • • Portable Charging Port - Type 2 (7kW) • • • AC Charging Port - Type 2 (7kW) • • • AC Charging Port - CCS 2 (110kW) • • • DC Charging Port - CCS 2 (150kW) • • • V2L Function • • • V2L Discharge Adapter • • • Regenerative Braking • • •	Battery Capacity (kWh)	61,44	82,56	82,56
Front Suspension Double Wishbone Rear Suspension Multi-link Frequency Selective Damping (FSD) _ Shock Absorbers — Front & Rear Front Disc Brake Ventilated Ventilated Dirilled Dirilled Dirilled Dirilled Dirilled Dirilled Dirilled Spring Dirilled D				
Rear Suspension			Double Wishbone	
Frequency Selective Damping (FSD)	Rear Suspension			
Shock Absorbers Front Disc Brake Ventilated Drilled Pront Brake Caliper Floating Fixed Fixed Fixed Fixed Fixed Pront Brake Caliper Floating Fixed Fixed Fixed Fixed Pront Brake Caliper Floating Fixed Fixed Fixed Fixed Pront Brake Caliper P				
Drilled Drilled Prilled Prilled Prilled Prilled Pront Brake Caliper Floating Fixed Fixed Floating Fixed Floating Fixed Floating Fixed Floating Fixed Floating Fixed Private Floating Fixed Floating Floati	Shock Absorbers	_	_	Front & Rear
Rear Disc Brake Ventilated Ventilated Ventilated Front Brake Caliper Floating Fixed Fixed Wheel Type Alloy Alloy Alloy Tyre Size 225/50 R18 235/45 R19 235/45 R19 New Energy Portable Charging Cable (mode 2) • • • Portable Charging Port - Type 2 (7kW) • • • DC Charging Port - CCS 2 (110kW) • • • DC Charging Port - CCS 2 (150kW) • • • V2L Function • • • • V2L Discharge Adapter • • • • V2L Discharge Adapter • • • • Regenerative Braking • • • • Safety and Security Front Airbags - Driver & Front Passenger • • • Fide Curtain Airbags - Driver & Front Rear • • • • Side Airbags - Driver & Front & Rear • • • • </td <td>Front Disc Brake</td> <td>Ventilated</td> <td></td> <td></td>	Front Disc Brake	Ventilated		
Front Brake Caliper Floating Fixed Fixed Wheel Type Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy Alloy New Energy 225/50 R18 235/45 R19 235/45 R19 New Energy • • • Portable Charging Cable (mode 2) • • • AC Charging Port - Type 2 (7kW) • • • DC Charging Port - CGS 2 (110kW) • • • DC Charging Port - CGS 2 (150kW) • • • V2L Function • • • • V2L Function • • • • V2L Discharge Adapter • • • • V2L Function • • • • V2L Eunction • • • • V2L Function • • • •	Rear Disc Brake	Ventilated	Ventilated	
Wheel Type				
Tyre Size 225/50 R18 235/45 R19 235/45 R19 New Energy • • • Portable Charging Cable (mode 2) • • • AC Charging Port - Type 2 (7kW) • • • DC Charging Port - CCS 2 (110kW) — — — DC Charging Port - CCS 2 (150kW) — • • V2L Function • • • • V2L Discharge Adapter • • • • Regenerative Braking • • • • Safety and Security * • • • Front Airbags - Driver & Front Passenger • • • • Side Airbags - Driver & Front Passenger • • • • • • • • • • • • • • • • • • • • • • • • • • • • •				
New Energy Portable Charging Cable (mode 2) • • • AC Charging Port - Type 2 (7kW) • • • DC Charging Port - CCS 2 (110kW) — — — DC Charging Port - CCS 2 (150kW) — • • V2L Function • • • • V2L Discharge Adapter • • • • V2L Discharge Adapter • • • • Safety and Security * • • • Front Airbage Alpater • • • • Safety and Security * • • • Front Airbage - Driver & Front Passenger • • • • Side Airbags - Driver & Front Reser • • • • • • • • • • • • • • • • • • • • • • • • •	**			
Portable Charging Cable (mode 2)		220/00 1(10	200/40 1(10	200/401(10
AC Charging Port - Type 2 (7kW)		•	•	•
DC Charging Port - CCS 2 (110kW)		•	•	•
DC Charging Port - CCS 2 (150kW)				
V2L Function		<u>-</u>	•	•
V2L Discharge Adapter Regenerative Braking Safety and Security Front Airbags - Driver & Front Passenger Side Airbags - Driver & Front Passenger Side Curtain Airbags - Front & Rear Far-side Airbags - Front & Rear Side Airbags - Briver Side Airbags - Rear Dual Stage Pretensioner On Front Seat Belts Pretensioner on Rear Seat Belts Pretensioner on Rear Seat Belts Seat Belt Reminder - Front & Rear Font Parking Sensor (2 Zones) Rear Parking Sensor (4 Zones) Side Control Child Lock Intelligent Power Brake System		_		
Regenerative Braking Safety and Security Front Airbags - Driver & Front Passenger Side Airbags - Driver & Front Passenger Side Airbags - Driver & Front Passenger Side Curtain Airbags - Front & Rear Far-side Airbags - Driver Side Airbags - Briver Side Airbags - Protret Side Airbags - Protret Side Airbags - Rear Dual Stage Pretensioner on Front Seat Belts Pretensioner on Rear Seat Belts Seat Belt Reminder - Front & Rear 360° Camera Front Parking Sensor (2 Zones) Front Parking Sensor (4 Zones) SOFIX Child Restraint Anchorage Points Electronic Child Lock Intelligent Power Brake System		<u> </u>		
Safety and Security Front Airbags - Driver & Front Passenger		•		
Front Airbags - Driver & Front Passenger		•	•	•
Side Airbags - Driver & Front Passenger • • • • • Side Curtain Airbags - Front & Rear • • • • • Far-side Airbags - Briver • • • • • Side Airbags - Briver • • • • • Side Airbags - Brear • • • • • • Side Airbags - Rear • • • • • • • • • • • • • • • • • • •		agor -	_	_
Side Curtain Airbags - Front & Rear • • Far-side Airbags - Driver • • Side Airbags - Rear • • Dual Stage Pretensioner • • on Front Seat Belts • • Pretensioner on Rear Seat Belts • • Seat Belt Reminder - Front & Rear • • 360° Camera • • Front Parking Sensor (2 Zones) • • Rear Parking Sensor (4 Zones) • • ISOFIX Child Restraint Anchorage Points • • Electronic Child Lock — • Intelligent Power Brake System • •				
Far-side Airbags - Driver Side Airbags - Rear Dual Stage Pretensioner on Front Seat Belts Pretensioner on Rear Seat Belts Seat Belt Reminder - Front & Rear 360° Camera Front Parking Sensor (4 Zones) Farafring Sensor (4 Zones) SOFIX Child Restraint Anchorage Points Intelligent Power Brake System Find Parking Sensor (5 System System) For Stage Parking Sensor (6 System System) For Stage Parking Sensor (8 System System) Find Parking Sensor (8 System System) Find Parking Sensor (8 System Syst				
Side Airbags - Rear Dual Stage Pretensioner on Front Seat Belts Pretensioner on Rear Seat Belts Seat Belt Reminder - Front & Rear Seat Selt Reminder - Front & Rear Seat Parking Sensor (2 Zones) Rear Parking Sensor (4 Zones) Rear Parking Sensor (5 Zones) Rear Parking Sensor (6 Zones) Rear Parking Sensor (8 Zones)				
Dual Stage Pretensioner • on Front Seat Belts • Pretensioner on Rear Seat Belts • Seat Belt Reminder - Front & Rear • 360° Camera • Front Parking Sensor (2 Zones) • Rear Parking Sensor (4 Zones) • SOFIX Child Restraint Anchorage Points • Electronic Child Lock — Intelligent Power Brake System •				
on Front Seat Belts • • Pretensioner on Rear Seat Belts • • Seat Belt Reminder - Front & Rear • • 360° Camera • • Front Parking Sensor (2 Zones) • • Rear Parking Sensor (4 Zones) • • ISOFIX Child Restraint Anchorage Points • • Electronic Child Lock — • Intelligent Power Brake System • •		•	•	•
Pretensioner on Rear Seat Belts Seat Belt Reminder - Front & Rear Seat Belt Reminder - Front & Rear Seat Belt Reminder - Front & Rear Seat Rear Front Parking Sensor (2 Zones) Rear Parking Sensor (4 Zones) SOFIX Child Restraint Anchorage Points SISOFIX Child Restraint Anchorage Points Flectronic Child Lock Intelligent Power Brake System Seat Seat Seat Seat Seat Seat Seat Seat		•	•	•
Seat Belt Reminder - Front & Rear • • 360° Camera • • Front Parking Sensor (2 Zones) • • Rear Parking Sensor (4 Zones) • • ISOFIX Child Restraint Anchorage Points • • Electronic Child Lock — — • Intelligent Power Brake System • • •				
360° Camera • • Front Parking Sensor (2 Zones) • • Rear Parking Sensor (4 Zones) • • ISOFIX Child Restraint Anchorage Points • • Electronic Child Lock — — • Intelligent Power Brake System • • •				
Front Parking Sensor (2 Zones) • • • • Rear Parking Sensor (4 Zones) • • • • • • • • • • • • • • • • • • •				
Rear Parking Sensor (4 Zones) • • ISOFIX Child Restraint Anchorage Points • • Electronic Child Lock — — Intelligent Power Brake System • •				
ISOFIX Child Restraint Anchorage Points • • • Electronic Child Lock – – • Intelligent Power Brake System • • • •				
Electronic Child Lock – – • Intelligent Power Brake System • •		-		
Intelligent Power Brake System		oints •	•	
Electric Power Steering (DP-EPS)				
	Electric Power Steering (DP-EPS)	•	•	•

Traction Control System (TCS)	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•
Hill Hold Control (HHC)	•	•	•
Auto-hold	•	•	•
Adaptive Cruise Control (ACC)	•	•	•
Automatic Emergency Braking (AEB)	•	•	•
Lane Departure Warning (LDW)	•	•	•
Lane Departure Prevention (LDP)	•	•	•
Emergency Lane Keeping Assist (ELKA)	•	•	•
Intelligent Cruise Control (ICC)	•	•	•
Predictive Collision Warning (PCW)	•	•	•
Traffic Sign Recognition (TSR)	•	•	•
Intelligent Speed Limit Information (ISLI)	•	•	•
Intelligent Speed Limit Control (ISLC)	•	•	•
Front Cross Traffic Alert (FCTA)	•	•	•
Front Cross Traffic Brake (FCTB)	•	•	•
Rear Cross Traffic Alert (RCTA)	•	•	•
Rear Cross Traffic Brake (RCTB)	•	•	•
Blind Spot Detection (BSD)	•	•	•
Door Open Warning (DOW)	•	•	•
High Beam Assist (HMA)	•	•	•
Driver Attention Warning (DAW)	•	•	•
Head Up Display (W-HUD)	_	•	•
Intelligence Torque Adaption Control (ITAC)	_	_	•
Exterior			
Silver-plated Panoramic Glass Roof	•	•	•
Electronic Hidden Door Handles	•	•	•
Rear Windscreen Mount Antenna	•	•	•
One-touch Open/Close Tailgate	•	•	•
Electrically Heated and			
Adjustable Exterior Mirrors	•	•	•
Electrically Retractable Exterior Mirrors	•	•	•
Door Mirror Auto-tilt	_	•	•
Door Mirror Position Memory	_	•	•
Auto Windows with Anti-trap	•	•	•
Soundproof Double Glazed Glass -			
Windshield and Front Door	•	•	•
Rear Windscreen with Electric Heating and			
Defrosting	•	•	•
Interior			
Steering Wheel Mounted Controls - Audio,			
Phone, ACC and Multi-function Display	•	•	•
Imitation Leather-wrapped Steering Wheel	•		
Genuine Leather-wrapped Steering Wheel	_	•	•
10.25-inch LCD Instrumentation	•	•	•
Centre Console Storage Compartment	•	•	•
Imitation Leather-wrapped Seats	•		
Genuine Leather-wrapped Seats	_	•	•
Driver Seat 8-way Power Adjustable	•	•	•
Driver Seat 4-way Lumber Power Adjustment	_		•
	-	•	<u> </u>
Passenger Seat 6-way Power Adjustable Front Seats Ventilated & Heated	•	-:-	÷
Driver Seat with Position Memory	-	<u>.</u>	÷
Caudani Castina	_	•	•
Courtesy Seating			_
Courtesy Seating Vice Dashboard with Dual Cup Holders Front Height-adjustable Cup Holder	•	•	•

Rear Row Central Armrest			
(with Dual Cup Holders)			
Automatic Anti-dazzle Interior	•	•	
Rearview Mirror	•		
Rain Sensing Frameless Wipers		•	•
Metal Door Sill Protectors	•	•	•
Front Sunvisor with Vanity Mirror & Lighting	•	•	•
Entertainment			
FM Radio	•	•	•
*Bluetooth® Phone Connectivity and	•	•	•
Audio Streaming			
15.6 Inch Intelligent Rotating	•	•	•
Touch Screen Display			
DYNAUDIO, 12 Speakers	•	•	•
Voice Assistant - English	•		•
1 x USB-C & 1 x USB-A, Front	•	•	•
1 x USB-C & 1 x USB-A, Rear	•	•	•
Light			
LED Headlight	•	•	•
Follow Me Home Headlight	•	•	•
LED Daytime Running Light	•	•	•
LED Taillight	•	•	•
Rear Fog Light	•	•	•
Sequential Rear Indicators	•	•	•
LED Centre High Mount Stop Light	•	•	•
RGB Dynamic Mood Lights with	•	•	•
Rhythm Function			
LED Front Reading Light	•	•	•
LED Rear Side Reading Light	•	•	•
Luggage Compartment Light	•	•	•
Comfort and Convenience			
Keyless Entry & Start	•	•	•
NFC Card Key	•	•	•
Wireless Phone Charger × 2	•	•	•
12V Accessory Socket	•	•	•
PM2.5 Filtration System	•	•	•
PM2.5 High Efficiency Filter (CN95)	•	•	•
Negative Ion Air Purifier	•	•	•
Automatic Dual-zone Heat Pump			
Air-conditioning			
Rear Central Air Vents	•	•	•
Tyre Repair Kit	•	•	•
Tool Kit	•	•	•

Specification & features may vary from actual vehicle being sold. Changes in colours and equipments are subjects to change without prior notice.

- *Note
 The real range is influenced by many factors such as individual driving style, load, traffic etc. The declared range is estimated for reference only.

 Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Compatibility and functionality varies depending on device.

 Colours depicted are a guide only and may vary from actual colours due to the printing.

 Driving assist system are not a substitute for the driver's responsibility of the vehicle.

 BYD reserves the right to vary vehicle specifications and standard features from those detailed in this brochure.

DIMENSIONS







EXTERIOR COLOURS OPTION



Cosmos Black Atlantis Grey Aurora White Arctic Blue 340

ELEVATE ATTRACTION






Crystal LED Combination Headlights



LED Taillight



e-Platform 3.0



BYD Blade Battery



SPECIFICATION

llem .	Dynamic Standard Range	Premium Extended Range
Dimensions	72	290
Overall Length (mm) Overall Width (mm)	7.	770
Overall Height (mm)		570
Wheel Track - Front / Rear (mm)		/ 1530
Wheelbase (mm)		700
Ground Clearance (mm)		30
Powertrain		
Motor Type	Permanent Magnet	Synchronous Motor
Drivetrain		neel Drive
Maximum Power (kW)	70	150
Maximum Torque (N·m)	180	310
Performance		
Acceleration 0-100km/h (s)	12,3	7,0
Driving Range: NEDC (km)	410	490
Seating Capacity	5	5
Battery Type	BYD Blade Battery	BYD Blade Battery
Battery Capacity (kWh)	44,9	60,48
Chassis		
Front Suspension	MacPherson Strut	MacPherson Strut
Rear Suspension	Torsion Beam	Multi-link
Front Brake	Ventilated Disc	Ventilated Disc
Rear Brake	Disc	Disc
Wheel Type	Alloy	Alloy
Tyre Size	195/60 R16	205/50 R17
New Energy		
Portable Charging Cable (Mode 2)	•	•
AC Charging Port - Type 2	•	•
DC Charging Port - CCS 2 Standard Range (60kW)		2-1
DC Charging Port - CCS 2 Extended Range (80kW)		
V2L Function		•
V2L Discharge Adapter	-	•
7kW Wall-mounted Charger		•
Regenerative Braking	•	•
Safety and Security		
Front Airbags - Driver & Front Passenger Side Airbags - Driver & Front Passenger		
Side Curtain Airbags - Front & Rear	•	- :
Dual Stage Pretensioner on Front Seat Belts	-	- :
Pretensioner on Front Seat Belts		
Pretensioner on Rear Seat Belts		
Seat Belt Reminder - Front & Rear		
Tyre Pressure Monitoring System (TPMS)	- 1	
SOFIX Child Restraint Anchorage Points (Outer Rear Seats)		
Intelligent Power Brake System		*
Anti-lock Braking System (ABS)	· :	- :
Electric Parking Brake System (EPB)		
Electronic Stability Control (ESC)		
Traction Control System (TCS)	•	
Electronic Brake Force Distribution (EBD)		
Door Open Warning (DOW)		
360° View Monitor		
Front 2 Radars		
Rear 3 Radars		
Auto Hold		
Adaptive Cruise Control (ACC)	•	
Automatic Emergency Braking System (AEB)		
Lane Departure Warning (LDW)		
Lane Keeping Support (LKS)		
Predictive Collision Warning (PCW)		
Rear Collision Warning (RCW)		
Blind Spot Detection (BSD)	•	
Rear Cross Traffic Alert (RCTA)		
Rear Cross Traffic Brake (RCTB)		
Lane Departure Prevention (LDP)	ì	
Emergency Lane Keeping Assist (ELKA)		•
Lane Change Collision Warning (LCW)		
ter has provided a language of the control of the c		

DIMENSIONS









	Dynamic Standard Range	Premium Extended Range
Exterior		
Electrically Heated and Adjustable Exterior Mirrors		
Electrically Retractable Exterior Mirrors		
Panoramic Glass Roof	<u> </u>	
Front Boneless Wiper	•	
Rear Wiper	•	
Interior		
Three-spoke Steering Wheel	•	
Electric Power Assisted Steering System	•	
5" Digital Instrument Panel		
Manual Dimming Interior Rear View Mirror	•	
Mobile Phone Wireless Charging	-	
Synthetic Leather Seat		
60/40 Split Fold Rear Seats	•	
6-way Manual Adjustment - Driver Seat		-
6-way Power Adjustment - Driver Seat		
4-way Manual Adjustment - Front Passenger Seat	•	2-1
4-way Power Adjustment - Front Passenger Seat	_	
Ventilated Front Seats	, — i	•
Height Adjustable Headrests - Rear Seats		
Entertainment		
FM Radio		
*Bluetooth® Phone Connectivity and Audio Streaming	•	
12.8" Intelligent Rotating Touch Screen		•
6 Speakers	•	
Voice Assistant		
USB x 2, Centre Console	typeA + typeC	typeA + typeC
USB x 2, Rear	typeA + typeC	typeA + typeC
Light		
LED Headlight	•	
Follow Me Home Headlight		
LED Daytime Running Light	•	•
LED Taillight Bar	•	
LED Front Reading Light	•	
LED Rear Reading Light	•	(- t
LED Rear Side Reading Light	, - ,	•
Luggage Compartment Light	•	•
High Beam Assist (HMA)		
Comfort & Convenience		
12V Socket		•
Keyless Entry & Keyless Start	•	
Portable Card Key	•	
Driver's Window One Touch Up-down with Anti-pinch	•	-
4-door Window One Touch Up-down with Anti-pinch	1-1	
Automatic Air-conditioning	•	
Heat Pump		
PM2.5 Air Filter (Without Display)	•	•
Tyre Repair Kit		

Specification & features may vary from actual vehicle being sold. Changes in colours and equipments are subjects to change without prior notice.

- *Note

 The real range is influenced by many factors such as individual driving style, load, traffic etc. The declared range is estimated for reference only.

 Bituetooth® is a registered trademark of Bluetooth SkG, Inc. Compatibility and functionality varies depending on device.

 Colours depicted are a guide only and may vary from actual colours due to the printing.

 Driving assist system are not a substitute for the driver's responsibility of the vehicle.

 BYD reserves the right to vary vehicle specifications and standard features from those detailed in this brochure.

EXTERIOR & INTERIOR COLOURS







BYD ATTO 3

ELEVATE VERSATILITY






LED Light



e-Platform 3.0



LED Taillights



BYD Blade Battery







15.6-inch Intelligent Rotating Touch Screen

Muscle Streamline Center Console

Panoramic Sunroof

International Property 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 1975 197	Item	Standard Range Advanced	Extended Range Superior
Test	Dimensions	ADDRESS STATE OF THE PARTY OF T	
1615	Overall Length (mm)		
See Track - Front / Rear (mm) 1575 / 1580	Overall Width (mm)		
	Overall Height (mm)		A STATE OF THE STA
175	Wheel Track - Front / Rear (mm)	157	AND MARKET TO SERVICE
30,000	Vheelbase (mm)		
1.340			
1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.790 1.890 1.890 1.790 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890 1.890			
2.990 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.16			
Permanent Magnet Synchronous Motor for Type		- Victoria de la Companya del Companya de la Companya del Companya de la Companya	
International Content Inte		2.080	2.100
Simum Force (kW) 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150	Motor Type	Permanent Mann	net Synchronous Motor
Simum Torque (N,m)	ANALYSIS DEBINET IN	r emidnem magi	
2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5	Performance		
Speed (km/h)	Acceleration 0-100 km/h (s)	7.9	7.3
All	Top Speed (km/h)		
Strong S	Driving Range: NEDC (km)	410	480
Terry Type	Seating Capacity		5
Terry Type	Battery		
MacPherson Strut	Battery Type	BYD B	lade Battery
Int Suspension Ar Suspension Auth-Irak Au	Battery Capacity (kWh)	49,92	60,48
ar Suspension Alter to the total and Disc or e are Disc or e and Disc or e Alloy Alloy Alloy Table Charging Cable (Mode 2) Charging Port - Type 2 Alloy Alloy Alloy Alloy Charging Port - Charging Cable (Mode 2) Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (88kW) Charging Port - CCS 2 (70kW) Charging Port - CCS 2	uspension		W
New Park	ront Suspension		Company Co.
New Year	tear Suspension	M	tutti-link
Disc Beautiful Disc Beau	rake		
eel Type	ront	Vent	Late Late and Late an
See Type Alloy	lear		Disc
e Size	Уте		
e Repair Kit arging arging Arabic Charging Cable (Mode 2) Charging Port - Type 2 A Wall-mounted Charger Charging Port - CCS 2 (76kW) Charging Port - CCS 2 (76kW) Charging Port - CCS 2 (76kW) L Function L Discharge Adapter generative Braking terfor moramic Sunroof with Electric Silde and Anti-trap ctric Unlock Taligate - tour Corner of Rails ctrically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors retring Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Digital Instrument Panel ats A Spift Fold Rear Seats A Spift Fold Rear Seats A Power Adjustment - Driver Seat Any Power Adjustment - Front Passenger Seat Portix Child Restraint Anchorage Points ter Rear Seats) fety and Security nt Airbags - Driver & Front Passenger e Curich Airbags - Driver & Front Passenger e Curich Airbags - Driver & Front Passenger e Airbags - Driver & Front Passenger e Curtian Airbags - Front & Rear - side Airbags - Driver & Rear - side Airbags - System (EPB) - side Airbags - System (Vheel Type		Alloy
arajing table Charging Cable (Mode 2) Charging Port - Type 2 N Wall-mounted Charger Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (88kW) Function Discharge Adapter generative Braking terior noramic Sunroof with Electric Slide and Anti-trap torio Unlock Taligate e-touch Open / Close Taligate of Rails ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors crior aring Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Digital Instrument Panel ats thete Leather Seat 40 Split Fold Rear Seats ay Power Adjustment - Driver Seat ay Power Adjustment - Driver Seat Ay Power Adjustment - Pront Passenger Seat FIX Child Restraint Anchorage Points ter Rear Seats) fety and Security int Airbags - Driver & Front Passenger e Airbags - Driver & Front Passenger e Curtain Airbags - Front & Rear e Airbags - Driver & Front Rear saide Airbags - Driver & Front Rear e Airbags - Driver & Front & Rear e Airbags - Driver & Front & Rear e Pytem Monitor e Pressure Monitoring System (TPMS) int 2 Radars o Hold ctricin Parking Brake System (EPB) l-lock Braking System (ABS) ctronic Stability Control (IESC) ctronic Brake Force Distribution (EBD)	yre Size	215/60 R17	235/50 R18
table Charging Cable (Mode 2) Charging Port - Type 2 N Wall-mounted Charger Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (88kW) Library - CCS 2 (8kW) Library - CCS	yre Repair Kit	10.0	•
Charging Port - Type 2 Wall-mounted Charger Charging Port - CCS 2 (70kW) Charging Port - CCS 2 (88kW) Function Fun	harging		14
Wall-mounted Charger Charging Port - CCS 2 (76kW) Charging Port - CCS 2 (76kW) Function Discharge Adapter generative Braking terior torio Unlock Tailgate etrior of Rails ctric Unlock Tailgate of Rails ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors ctrically Heated Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors ctrically Heated Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors ctrically Retractable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adju	ortable Charging Cable (Mode 2)	(80)	
Charging Port - CCS 2 (70kW)	C Charging Port - Type 2	13.00	•
Charging Port - CCS 2 (88kW)	kW Wall-mounted Charger	(8)	•
L Function Discharge Adapter generative Braking terior oramic Sunroof with Electric Silde and Anti-trap ctric Unlock Taligate e-touch Open / Close Taligate e-touch Open / Close Taligate of Rails ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors erior terior Retractable Exterior Mirrors erior ering Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Digital Instrument Panel ats the Control of Power Assisted Steering System Digital Instrument Panel ats **Open Assisted Steering System Digital Instrument Panel **Open Assisted Steering System Digital Instrument Prone Seat **Open Assisted Steering System Seat **Open Assisted Steering System Seat **Open Assisted Steering System Seat **Open Assisted Se	C Charging Port - CCS 2 (70kW)		-
L Discharge Adapter generative Braking terior noramic Sunroof with Electric Slide and Anti-trap ctric Unlock Tailgate e-louch Open / Close Tailgate of Rails ctrically Heated and Adjustable Exterior Mirrors ctrically Heated and Adjustable Exterior Mirrors erior ering Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Digital Instrument Panel ats httelic Leather Seat 40 Spit Fold Rear Seats aya Power Adjustment - Driver Seat aya Power Adjustment - Driver Seat iter Rear Seats) lety and Security htt Aribags - Driver & Front Passenger e Curtain Airbags - Front & Rear e Airbags - Driver & Front Passenger e Curtain Airbags - Front & Rear	C Charging Port - CCS 2 (88kW)	-	
generative Braking terior noramic Sunroof with Electric Side and Anti-trap ctric Unlock Taligate e-touch Open / Close Taligate of Rails of Rails of Crically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors erior ering Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Display System Steering System Steering System Display System Steering System	2L Function		•
rerior roramic Sunroof with Electric Slide and Anti-trap ctric Unlock Tailgate e-touch Open / Close Tailgate e-torically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors erior ering Wheel Mounted Controls - Audio, Phone, C. C. and Multi-function Display ctric Power Assisted Steering System e-touch Power Assisted Steering System e-touch Power Assisted Steering System e-touch Power Adjustment Panel ets	2L Discharge Adapter	(60	•
ctric Unlock Tailgate	egenerative Braking		
ctric Unlock Tailgate	cterior		-
e-fouch Open / Close Tailgate	anoramic Sunroof with Electric Slide and Anti-trap	2/5//	
of Rails ctrically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors serior ering Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Digital Instrument Panel ats threat Controls Split Fold Rear Seats Split Fold Rear Seats Split Fold Rear Seats Ap Power Adjustment - Driver Seat Split Fold Restraint Anchorage Points split Restraint Anchorage Points s	lectric Unlock Tailgate	(.	
ctrically Heated and Adjustable Exterior Mirrors ctrically Retractable Exterior Mirrors retror ering Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Displat Instrument Panel ats thebic Leather Seat 40 Spit Fold Rear Seats ay Power Adjustment - Driver Seat (ay Power Adjustment - Front Passenger Seat FIX Child Rear Seats (ay Power Adjustment - Front Passenger Seat (brick Child Rear Seats) (ctronic Power Adjustment - Front Passenger Seat (ctronic Power Seat) (ctronic Parking Architecture) (ctronic Stability Control (ESC) (ctronic Stability Control (ESC) (ctronic Brake Force Distribution (EBD) (ctronic Brake Force Distribution (EBD)	ne-touch Open / Close Tailgate		
ctrically Retractable Exterior Mirrors ering Wheel Mounted Controls - Audio, Phone, C and Multi-function Display ctric Power Assisted Steering System Digital Instrument Panel ats Digital Fold Rear Seats	of Rails	4170	
erior ering Wheel Mounted Controls - Audio, Phone, C. C. and Multi-function Display Ctric Power Assisted Steering System Digital Instrument Panel Interest Seat 40 Split Fold Rear Seats 40 Split Fold Rear Font Passenger Seat 40 Split Fold Rear Font Passenger Seat 40 Split Fold Restraint Anchorage Points 40 Split Fold Restraint Anchorage Points 40 Split Fold Restraint Anchorage Points 40 Split Restraint Anchorage Points 41 Split Restraint Anchorage Points 42 Points Anchorage Points 43 Split Restraint Anchorage Points 44 Split Restraint Anchorage Points 45 Split Restraint Anchorage Points 46 Split Restraint Anchorage Points 47 Split Restraint Anchorage Points 48 Split Restraint Anchorage Points 49 Split Restraint Anchorage Points 40 Split Restraint Anchorage 40 Split Restraint	lectrically Heated and Adjustable Exterior Mirrors		
ering Wheel Mounted Controls - Audio, Phone. C and Multi-function Display C and Multi-function Display Ctric Power Assisted Steering System **Theteic Leather Seat* 40 Spit Fold Rear Seats **Theteic Leather Seat* 40 Spit Fold Rear Seats **Theteic Leather Seat* **The Spit Fold Rear Seats **The Spit Fold Spit Fold Rear	lectrically Retractable Exterior Mirrors	3103	•
C and Multi-function Display ctric Power Assisted Steering System **Digital Instrument Panel **Digital Policy Rear Seats **Digital Policy Power Adjustment - Driver Seat **Digital Policy Power Adjustment - Pront Passenger Seat **Digital Policy Policy Point Passenger **Digital Policy Policy Policy Policy Point Seats **Digital Policy Poli	terior		4
Ctric Power Assisted Steering System	eering Wheel Mounted Controls - Audio, Phone,	200	
Instrument Panel Instrument	CC and Multi-function Display	10 0 0	
### ### ### ### ### ### ### ### ### ##	ectric Power Assisted Steering System		•
### A Company of the	* Digital Instrument Panel		•
### 40 Split Fold Rear Seats ### ay Power Adjustment - Driver Seat ### ay Power Adjustment - Pront Passenger Seat ### Split Restraint Anchorage Points ### Iter Rear Seats) ### fety and Security ### Iter Rear Seats) ### Iter Rear Seats) ### Iter Rear Seats) ### Iter Rear Seats) ### Iter Rear Seats ### Iter Rear S	eats		17
Agy Power Adjustment - Driver Seat	nthetic Leather Seat		•
Agriculture Company	/40 Split Fold Rear Seats	1801	
JFIX Child Restraint Anchorage Points tier Rear Seats) ter Rear Seats) ter Rear Seats) Inter Rear Seats Inter Rear	way Power Adjustment - Driver Seat	•	•
JFIX Child Restraint Anchorage Points tier Rear Seats) ter Rear Seats) ter Rear Seats) Inter Rear Seats Inter Rear	way Power Adjustment - Front Passenger Seat	•	•
Inter Rear Seats Inter Rear	OFIX Child Restraint Anchorage Points	20	2
Internation	Outer Rear Seats)	5707	
Int Airbags - Driver & Front Passenger	fety and Security		
e Airbags - Driver & Front Passenger	ont Airbags - Driver & Front Passenger	3.0×	
Curtain Airbags - Front & Rear			
-side Airbags - Driver at Belt Reminder - Front & Rear "> ''view Monitor e Pressure Monitoring System (TPMS) nt 2 Radars ar 4 Radars to Hold totrio Parking Brake System (EPB)		•	
at Belt Reminder - Front & Rear P View Monitor Pressure Monitor at 2 Radars to to Hold to trio Parking Brake System (EPB) li-lock Braking System (EPB) ctronic Stability Control (ESC) ctronic Stability Control (ESC) ctronic Brake Force Distribution (EBD)	r-side Airbags - Driver		
P View Monitor Pressure Monitoring System (TPMS) Pressure Monitoring Syste	eat Belt Reminder - Front & Rear	•	
e Pressure Monitoring System (TPMS) nt 2 Radars ar 4 Radars to Hold ctric Parking Brake System (EPB)	50° View Monitor		
Int 2 Radars		17.1	
ar 4 Radars to Hold ctric Parking Brake System (EPB) Hock Braking System (ABS) ctronic Stability Control (ESC) ction Control System (TCS) ctronic Brake Force Distribution (EBD)	ront 2 Radars		
O Hold	ear 4 Radars		
ctric Parking Brake System (EPB) • I-lock Braking System (ABS) • ectronic Stability Control (ESC) • ction Control System (TCS) • ctronic Brake Force Distribution (EBD) •	The state of the s	313.55	
-lock Braking System (ABS)			- 5%
ctronic Stability Control (ESC) ction Control System (TCS) ctronic Brake Force Distribution (EBD)	uto Hold		
ction Control System (TCS) ctronic Brake Force Distribution (EBD) • • • • • • • • • • • • •	uto Hold lectric Parking Brake System (EPB)	. • 0	
ctronic Brake Force Distribution (EBD) •	uto Hold ectric Parking Brake System (EPB) nti-lock Braking System (ABS)	•	•
	uto Hold lectric Parking Brake System (EPB) nti-lock Braking System (ABS) lectronic Stability Control (ESC)	* 0 * 1	:
	uto Hold ectric Parking Brake System (EPB) nti-lock Braking System (ABS) ectronic Stability Control (ESC) action Control System (TCS)	•	:
	uto Hold ectric Parking Brake System (EPB) nti-lock Braking System (ABS)	•	

Stop & Go Full Speed Adaptive Cruise Control	•	
ACC-S&G)		
Automatic Emergency Braking System (AEB)	•	•
Blind Spot Detection (BSD)	•	•
Door Open Warning (DOW)	•	•
Rear Cross Traffic Alert (RCTA)	•	•
Rear Cross Traffic Brake (RCTB)	•	•
Lane Departure Warning (LDW)	•	•
Lane Change Collision Warning (LCW)	(*).	•
Light		
.ED Headlight	•	•
Follow Me Home Headlight	•	•
Adaptive Front Light (AFL)	•	•
LED Daytime Running Light	•	•
LED Rear Light	•	•
Multi-color Gradient Ambient Lighting	500	
Single-color Gradient Ambient Lighting - Door Handle	•	75
Wulti-color Gradient Ambient Lighting with Music Rhythm - Door Handle	-	•
Entertainment		
FM Radio		
Bluetooth® Phone Connectivity and Audio		
Streaming	•	
15.6" Intelligent Rotating Touch Screen	595i	
5 Speakers	•	
'HD Sound®, 8 Speakers	_	•
Satellite Navigation		
Voice Assistant - English	•	•
USB - C Port ×1 + USB - A Port ×1, Centre Console	•	•
USB - C Port ×1 + USB - A Port ×1, Rear	•	•
Comfort & Convenience		
Wireless Phone Charger		•
12V Socket	•	•
Keyless Entry & Keyless Start	•	•
Portable Card Key		•
f-door Window One Touch Up-down with Anti-pinch	•	•
Centre Console Storage Compartment	•	•
Air Conditioning		
Automatic Air-conditioning	•	•
Heat Pump	•	
CN95 Air Filter	•	•
PM 2.5 Air Filter (Display Value)		•

Exterior color	Interior	
Ski White	- December	
Surf Blue	Blue+Grey	
Boulder Grey	D D	
Cosmos Black	Blue+Black	

Specification & features may vary from actual vehicle being sold. Changes in colours and equipments are subjects to change without prior notice.

- serger or only.

 80 is a registered trademark of Bluetooth SIG, inc. Compatibility and functionality varies depending on device.

 80 is a registered trademark or Dirac Research AB.

 80 depicted are a guide only and may vary from actual colours due to the printing.

 88sts system are not a substick for the driver's responsibility of the vehicle.

 80 erves the right to vary vehicle specifications and standard features from those detailed in this brochure.

Dimensions



|--- 1575 mm ---| |---- 1875 mm ---|





|--- 1580 mm ---| |--- 1875 mm ---|

Exterior Colours Option









Cosmos Black

Surf Blue Boulder Grey

SPECIFICATIONS

Item	Standard	Superior Captain	Superior
Dimensions	Staridard	Superior Captain	Superior
Overall Length (mm)		4710	
Overall Width (mm)		1810	
Overall Height (mm)		1690	
Wheel Track - Front / Rear (mm)		1540 / 1530	
Wheelbase (mm)		2800	
Curb Weight (kg)	1800	1895	1915
Gross Vehicle Weight (kg)	2374	2394	2489
Ground Clearance (mm) (Unladen)		170	
Luggage capacity - Min (L)		180	
Luggage capacity - Max (L)		580	
Powertrain	40 D		Material
Motor Type	AC Pern	nanent Magnet Synchrono	ous Motor
Drivetrain Maximum Power (kW)	120	Front-wheel Drive 150	
Maximum Torque (N·m)	120	310	
Maximum Speed		180	
Performance			
Acceleration 0-100km/h (s)	10,1	8,	6
Driving Range: NEDC (km)	420	53	
Seating Capacity	7	6	7
Battery Type		BYD Blade Battery	
Battery Capacity (kWh)	55,4	71	,8
DC charging power (KW)	89	11	5
AC charging power (KW)		7	
Chassis			
Front Suspension		MacPherson Strut	
Rear Suspension		Multi-link	
Front Brake		Ventilated Disc	
Rear Brake		Disc	
Wheel Type		Alloy	
Tyre Size		225/55 R17	
New Energy			
Portable Charging Cable (Mode 2)	•	•	•
VtoL Function	•	•	•
VtoL Discharge Adapter	•	•	•
Regenerative Braking	•	•	•
Safety and Security Front Airbags - Driver & Front Passenger	•	•	
Side Airbags - Driver & Front Passenger	•	•	•
Side Curtain Airbags - Front & Rear	•	•	•
Front Row Limited Force Seat Belt	•	•	•
Mid Row non Pre tensioned Limited Force Seat Belts	•	•	•
Rear Row non Pre tensioned Limited Force Seat Belts	•		•
Seat Belt Reminder - Front & Rear	•	•	•
Tyre Pressure Monitoring System (TPMS)	•	•	•
ISOFIX Child Restraint Anchorage Points	•	•	•
Anti-lock Braking System (ABS)	•	•	•
Electric Parking Brake System (EPB)	•	•	•
Electronic Stability Control (ESC)	•	•	•
Traction Control System (TCS)	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•
Vehicle Dynamic Control System	•	•	•
Hill Hold Control(HHC)	•	•	•
Brake Disc Wiping System(BDW)	•	•	•
Coordinated Regenerative Braking System(CRBS)	•	•	•
Roll Movement Intervention(RMI)	•	•	•
Brake Override System(BOS)	•	•	•
Door Open Warning (DOW)	•	•	•
Around View Monitor(AVM)	•	•	•
Rear 4 Radars	•	•	•
Auto Hold Cruise Control (CC)	•	•	<u> </u>
Adaptive Cruise Control (ACC)	<u> </u>	-	-
Autonomous Emergency Braking (AEB)		•	•
Intelligent Cruise Control (ICC)		•	•
Predictive Collision Warning (PCW)		•	•
Rear Collision Warning (RCW)		•	•
Blind Spot Detection (BSD)		•	•
Rear Cross Traffic Alert (RCTA)		•	•
Rear Cross Traffic Brake (RCTB)	_	•	•
Lane Departure Assist (LDA)	_	•	•

Lane Departure Assist (LDA)	_	•	•
Emergency Lane Keeping Assist (ELKA)	_	•	•
		Warranty Perio	nde
Key Warranty Content		(which comes first	
Vehicle		6 years/150.000 kil	ometers
Traction Battery	8 year	rs/160.000 kilomete	ers SOH≥70%
Drive Unit		8 years/150.000 kil	ometers

EXTERIOR COLOURS



Crystal White



Quartz Blue





Cosmos Black Harbour Grey

Electrically Adjustable Exterior Mirrors Electrically Foldable Exterior Mirrors Panoramic Glass Roof Front Boneless Wiper Rear Wiper Roof Rack Interior Three Spoke Multifunction Steering Wheel Electric Power Assisted Steering System Electric Power Assisted Steering System Fit full LCD Combination Instrument Manual Dimming Interior Rear View Mirror Mobile Phone Wireless Charging Synthetic Leather Seat 2+3+2 Three Row Seat Distribution 2+2+2 Three Row Seat Distribution 6/4 Split Fold Middle Seats Middle Row Independent Seats Rear Seats Folded Down 6-way Electric Adjustment - Driver Seat 6-way Manual Adjustment - Driver seat 4-way Electric Adjustment - Front Passenger Seat 6-way Manual Adjustment - Front Passenger Seat Ventilated - Driver seat Ventilated- Front Passenger Seat Metal Welcome Pedal Entertainment FM Radio *Bluetooth® Phone Connectivity and Audio Streaming 12.8" Intelligent Rotating Touch Screen 6 Speakers *Satellite navigation *Music streaming *Apple CarPlay® Voice Assistant USB × 2, Centre Console USB x 2 Middle Light LED Headlights Follow Me Home Headlight LED Daytime Running Light LED Taillight Bar LED Front Reading Light LED Middle Reading Light Luggage Compartment Light Intellegent High Beam Control (IHBC) Rear Dynamic Turn Signal Comfort & Convenience 12V Socket Keyless Entry Keyless Entry & Keyless Start Portable Card Key 4-door Window One Touch Up-down with Anti-pinch Automatic Air-conditioning PM2.5 Air Filter (Without Display PM2.5 Air Filtration System Tyre Repair Kit Manual Opening of Trunk Electric Opening of Trunk Remote Control of Trunk Opening Interior Colors

Specification & features may vary from actual vehicle being sold. Changes in colours and equipments are subject to change without prior notice.

- The real range is influenced by many factors such as individual driving style, load, traffic etc. The declared range is
- The real range is influenced by many factors such as individual driving style, load, tratic etc. The declared range estimated for reference only.
 Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Compatibility and functionality varies depending on Colours depicted are a guide only and may vary from actual colours due to the printing.
 Driving assist system are not a substitute for the driver's responsibility of the vehicle.
 BYD reserves the right to vary vehicle specifications and standard features from those detailed in this brochure.

DIMENSIONS







PAGE 2 -ISI | Cetak 4/4 atau bolak balik




ADVANCED TECHNOLOGY & PERFORMANCE



VtoL Mobile Power Station

To meet the basic living and entertainment needs of an RV customers, each socket is equipped with overload protection to effectively prevent the occurrence of dangerous situations such as short circuit or fire.



Ultra-Safe Blade Battery

During the puncture test, the blade cell was punctured and neither smoked nor caught fire, and the temperature only reached 30 to 60 °C. The blade cell cells also passed other extreme test conditions, such as compression, bending, heating up to 300°C in the furnace, and overcharging 260%, without causing a fire or explosion.



A Family-Centric MPEV

Designed specifically for modern families, providing the option of spacious 6 or 7 seater layouts. The seats offer enhanced comfort with ergonomic design that fully conforms to the human body's curves. The front seats feature a wider and longer cushion for a more supportive, comfortable driving experience.



Panoramic Skylight

Bathe your cabin in natural splendor with the expansive panoramic skylight, transforming your driving experience into an open-air affair.











Spacious Cargo Area

Transform your vehicle into a cargo haven with the ingenious fold-down seats, capable of creating a completely flat load area.



Rapid Charging, Swift Power-Up

BYD M6 is capable of recharging in just 30 minutes, thanks to its impressive 170kW DC charging capacity. This swift and efficient process enables you to charge from a 30% state of charge (SOC) to 80%, providing you with an ample power top-up for maximum ease and convenience.



BYD M6 Intelligent Cockpit

The center console boasts a modern and elegant sculpted ball head shift, emphasizing the harmonious flow from front to back and adding a touch of refined beauty. The 12.8-inch rotating screen opens a new journey of smart travel.